

IN THE U.S. PATENT AND TRADEMARK OFFICE

Applicant: Kazuhisa KASHIWAZAKI et al. Conf.:

Appl. No.: 09/978,063 Group:

Filed: October 17, 2001 Examiner:



ALUMINUM SHEET MATERIAL FOR AUTOMOBILE  
AND METHOD OF PRODUCING THE SAME

4/B  
BH  
12/10/01  
**RECEIVED**  
NOV 30 2001  
TC 1700

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents  
Washington, DC 20231

November 29, 2001

Sir:

The following preliminary amendments and remarks are  
submitted in connection with the above-identified application.

AMENDMENTS

IN THE CLAIMS:

Please amend the claims as follows.

B1  
Claim 1. (Amended) An aluminum sheet material for  
automobiles, which has an aluminum alloy composition consisting  
essentially of between more than 2.6 wt% and 5 wt% of Si, 0.2 to  
0.8 wt% of Mg, 0.2 to 1.5 wt% of Zn, 0.2 to 1.5 wt% of Cu, 0.2  
to 1.5 wt% of Fe, and between 0.05 and less than 0.6 wt% of Mn,  
and one or more members selected from the group consisting of  
0.01 to 0.2 wt% of Cr, 0.01 to 0.2 wt% of Ti, 0.01 to 0.2 wt% of  
Zr, and 0.01 to 0.2 wt% of V, with the balance of aluminum and  
unavoidable impurities.